

## Introduction to the tokamak operation (GOLEM specific) - Level 1

Vojtěch Svoboda  
on behalf of the tokamak GOLEM team  
for the BUTE University, Hungary


November 17, 2022

# Table of Contents

- 1 Introduction
- 2 The Tokamak (GOLEM)
- 3 The Tokamak GOLEM (remote) operation
- 4 Conclusion
- 5 Appendix

# The GOLEM tokamak basic characteristics


*The grandfather of all tokamaks (ITER newslines 06/18)*



- Vessel major radius:  $R_0 = 0.4$  m
- Vessel minor radius:  $r_0 = 0.1$  m
- Maximum plasma current:  
 $I_p^{\max} < 8$  kA
- Maximum toroidal magnetic field:  $B_t^{\max} < 0.5$  T
- Typical electron density:  
 $\langle n_e \rangle \in (0.2, 3) \cdot 10^{19} \text{ m}^{-3}$
- Maximum electron temperature:  
 $T_e^{\max} < 80$  eV
- Maximum discharge duration:  
 $\tau_p^{\max} < 25$  ms

# Tokamak GOLEM @ Wikipedia ..

File Edit View Go Bookmarks Tools Settings Window Help  
home Kalendář Produkce Forecast Slovník Ráno  
https://en.wikipedia.org/wiki/Tokamak  
Not logged in Talk Contributions Create account Log in



**WIKIPEDIA**  
The Free Encyclopedia

[Main page](#)  
[Contents](#)  
[Featured content](#)  
[Current events](#)

Article Talk

Read Edit View history

## Tokamak

From Wikipedia, the free encyclopedia

*This article is about the fusion reaction device. For other uses, see [Tokamak \(disambiguation\)](#).*

A **tokamak** (**Russian**: **токамак**) is a device that uses a powerful **magnetic field** to confine **plasma** in the shape of a **torus**. Achieving a **stable plasma equilibrium** requires **magnetic field lines** that move around the torus in a **helical** shape. Such a helical field can be generated by adding a **toroidal** field


it decays into a proton and electron with the emission of energy. When the time comes to actually try to make electricity from a tokamak-based reactor, some of the neutrons produced in the fusion process would be absorbed by a liquid metal blanket and their kinetic energy would be used in heat-transfer processes to ultimately turn a generator.

### Experimental tokamaks [ edit ]


#### Currently in operation [ edit ]

(in chronological order of start of operations)

- 1960s: TМ1-MH (since 1977 Castor; since 2007 Golem<sup>[12]</sup>) in **Prague, Czech Republic**. In operation in **Kurchatov Institute** since early 1960s but renamed to **Castor** in 1977 and moved to **IPP CAS**,<sup>[13]</sup> **Prague**; in 2007 moved to **FNSPE, Czech Technical University in Prague** and renamed to **Golem**.<sup>[14]</sup>
- 1975: **T-10**, in **Kurchatov Institute, Moscow, Russia** (formerly **Soviet Union**); 2 MW
- 1983: **Joint European Torus (JET)**, in **Culham, United Kingdom**
- 1985: **JT-60**, in **Naka, Ibaraki Prefecture, Japan**; (Currently undergoing upgrade to Super, Advanced model)
- 1987: **STOR-M**, **University of Saskatchewan; Canada**; first demonstration of alternating current in a tokamak.
- 1988: **Tore Supra**,<sup>[15]</sup> at the **CEA, Cadarache, France**
- 1989: **Aditya**, at **Institute for Plasma Research (IPR) in Gujarat, India**
- 1980s: **DIII-D**,<sup>[16]</sup> in **San Diego, USA**; operated by **General Atomics** since the late 1980s
- 1989: **COMPASS**,<sup>[13]</sup> in **Prague, Czech Republic**; in operation since 2008, previously operated from 1989 to 1999 in **Culham, United Kingdom**
- 1990: **FTU**, in **Frascati, Italy**
- 1991: **Tokamak ISTTOK**,<sup>[17]</sup> at the **Instituto de Plasmas e Fusão Nuclear, Lisbon, Portugal**;
- 1991: **ASDEX Upgrade**, in **Garching, Germany**




Alcator C-Mod



# The GOLEM tokamak for education - historical background

Kurchatov Institute near Moscow,  
Soviet Union  
1960: **TM1-MH**



1974

Institute of Plasma Physics  
Czech republic


**CASTOR**

**COMPASS**


2008

Czech Technical University Prague  
Czech republic  
**GOLEM**

Culham Centre for Fusion Energy  
Great Britain  
1989: **COMPASS-D**



2006



# GOLEM

... somewhere, in the ancient cellars of Prague,

*there is hidden indeed "infernal" power. Yet it is the very power of celestial stars themselves. Calmly dormant, awaiting mankind to discover the magic key, to use this power for their benefit. . .*




At the end of the 16th century, in the times when the Czech lands were ruled by Emperor Rudolf II, in Prague, there were Rabbi Judah Loew, well known alchemist, thinker, scholar, writer and inventor of the legendary GOLEM - a clay creature inspired with the Universe power that pursued his master's command after being brought to life with a shem, . Golem is not perceived as a symbol of evil, but rather as a symbol of power which might be useful but is very challenging to handle. To learn more of the Golem legend, see e.g. [1].



# The global schematic overview of the GOLEM experiment

LEVEL 1

## Tokamak technology setup



## Basic plasma diagnostics




internet



**Virtual control room  
(remote participation)**

WWW control interface

HTML & PHP scripts



SSH control interface


WINDOWS via putty



LINUX via ssh  
or ssh+X tunnel  
(advanced mode)

Data presentation

HTML (www pages)



Data handling

- \*wget
- \*gnuplot
- \*idl
- \*mathematica
- \*matlab
- \*etc...

WWW server  
OpenSSH server




OpenSSH server

Control PC



# The GOLEM tokamak mission






- Everything via <http://golem.fjfi.cvut.cz/Budapest>
  - This presentation
  - Control rooms
  - Contact: Vojtech Svoboda,  
+420 737673903,  
[svoboda@fjfi.cvut.cz](mailto:svoboda@fjfi.cvut.cz)
  - Chat:  
[tokamak.golem@gmail.com](mailto:tokamak.golem@gmail.com) or  
skype: tokamak.golem




# Table of Contents

- 1 Introduction
- 2 The Tokamak (GOLEM)**
- 3 The Tokamak GOLEM (remote) operation
- 4 Conclusion
- 5 Appendix

# Tokamak magnetic confinement concept



# Tokamak (GOLEM) basic concept to confine and heat the plasma



# Table of Contents

## 1 Introduction

## 2 The Tokamak (GOLEM)


- The GOLEM tokamak concept
- The scenario to make the (GOLEM) tokamak discharge
- The scenario to discharge virtually
- The GOLEM tokamak basic diagnostics
- The GOLEM tokamak - guide tour

## 3 The Tokamak GOLEM (remote) operation


## 4 Conclusion

## 5 Appendix


Our goal: the technology to create a  $\mu$ Sun on the Earth



# Magnetic confinement requires toroidal geometry




A chamber contains the thermonuclear reaction







Toroidal magnetic field coils confine the plasma



A transformer action creates and heats the plasma



# The final technology altogether



# Table of Contents

## 1 Introduction

## 2 The Tokamak (GOLEM)


- The GOLEM tokamak concept
- The scenario to make the (GOLEM) tokamak discharge
- The scenario to discharge virtually
- The GOLEM tokamak basic diagnostics
- The GOLEM tokamak - guide tour

## 3 The Tokamak GOLEM (remote) operation

## 4 Conclusion

## 5 Appendix


# Plasma in Tokamak (GOLEM) - the least to do



## To do:

- session start phase:
  - Evacuate the chamber
- pre-discharge phase
  - Charge the capacitors
  - Fill in the working gas
  - Preionization
- discharge phase
  - Toroidal magnetic field to confine plasma
  - Toroidal electric field to breakdown neutral gas into plasma
  - Toroidal electric field to heat the plasma
  - Plasma positioning
  - Diagnostics
- post-discharge phase


# Plasma in Tokamak (GOLEM) - the least to do



## To do:

- session start phase:
  - **Evacuate the chamber**
- pre-discharge phase
  - Charge the capacitors
  - Fill in the working gas
  - Preionization
- discharge phase
  - Toroidal magnetic field to confine plasma
  - Toroidal electric field to breakdown neutral gas into plasma
  - Toroidal electric field to heat the plasma
  - Plasma positioning
  - Diagnostics
- post-discharge phase


# Plasma in Tokamak (GOLEM) - the least to do



## To do:

- session start phase:
  - Evacuate the chamber
- pre-discharge phase
  - **Charge the capacitors**
  - Fill in the working gas
  - Preionization
- discharge phase
  - Toroidal magnetic field to confine plasma
  - Toroidal electric field to breakdown neutral gas into plasma
  - Toroidal electric field to heat the plasma
  - Plasma positioning
  - Diagnostics
- post-discharge phase

# Plasma in Tokamak (GOLEM) - the least to do




## To do:

- session start phase:
  - Evacuate the chamber
- pre-discharge phase
  - Charge the capacitors
  - **Fill in the working gas**
  - Preionization
- discharge phase
  - Toroidal magnetic field to confine plasma
  - Toroidal electric field to breakdown neutral gas into plasma
  - Toroidal electric field to heat the plasma
  - Plasma positioning
  - Diagnostics
- post-discharge phase




# Plasma in Tokamak (GOLEM) - the least to do



## To do:

- session start phase:
  - Evacuate the chamber
- pre-discharge phase
  - Charge the capacitors
  - Fill in the working gas
  - **Preionization**
- discharge phase
  - Toroidal magnetic field to confine plasma
  - Toroidal electric field to breakdown neutral gas into plasma
  - Toroidal electric field to heat the plasma
  - Plasma positioning
  - Diagnostics
- post-discharge phase


# Plasma in Tokamak (GOLEM) - the least to do



## To do:

- session start phase:
  - Evacuate the chamber
- pre-discharge phase
  - Charge the capacitors
  - Fill in the working gas
  - Preionization
- discharge phase
  - **Toroidal magnetic field to confine plasma**
  - Toroidal electric field to breakdown neutral gas into plasma
  - Toroidal electric field to heat the plasma
  - Plasma positioning
  - Diagnostics
- post-discharge phase


# Plasma in Tokamak (GOLEM) - the least to do



## To do:

- session start phase:
  - Evacuate the chamber
- pre-discharge phase
  - Charge the capacitors
  - Fill in the working gas
  - Preionization
- discharge phase
  - Toroidal magnetic field to confine plasma
  - **Toroidal electric field to breakdown neutral gas into plasma**
  - **Toroidal electric field to heat the plasma**
  - Plasma positioning
  - Diagnostics
- post-discharge phase

# Tokamak GOLEM - schematic experimental setup



# Table of Contents

## 1 Introduction

## 2 The Tokamak (GOLEM)


- The GOLEM tokamak concept
- The scenario to make the (GOLEM) tokamak discharge
- The scenario to discharge virtually
- The GOLEM tokamak basic diagnostics
- The GOLEM tokamak - guide tour

## 3 The Tokamak GOLEM (remote) operation


## 4 Conclusion

## 5 Appendix


Introduce the working gas (Hydrogen x Helium)



Switch on the preionization




# Introduce the magnetic field






# Introduce the electric field



# Plasma ..



# Table of Contents

## 1 Introduction

## 2 The Tokamak (GOLEM)


- The GOLEM tokamak concept
- The scenario to make the (GOLEM) tokamak discharge
- The scenario to discharge virtually
- The GOLEM tokamak basic diagnostics
- The GOLEM tokamak - guide tour

## 3 The Tokamak GOLEM (remote) operation




## 4 Conclusion

## 5 Appendix



# The GOLEM tokamak - basic diagnostics






# Loop voltage $U_l$ @ the GOLEM tokamak




# Toroidal magnetic field $B_t$ @ the tokamak GOLEM



# Total current $I_{ch+p}$



# "Typical", well executed discharge @ GOLEM





# Table of Contents

## 1 Introduction

## 2 The Tokamak (GOLEM)

- The GOLEM tokamak concept
- The scenario to make the (GOLEM) tokamak discharge
- The scenario to discharge virtually
- The GOLEM tokamak basic diagnostics
- The GOLEM tokamak - guide tour

## 3 The Tokamak GOLEM (remote) operation

## 4 Conclusion

## 5 Appendix

# Infrastructure room (below tokamak) 10/16



# Infrastructure room (below tokamak) 10/16

Current drive CD field  
and toroidal magnetic Bt field  
circuits

To the tokamak  
GOLEM

Rotary  
pump

Vacuum  
control

Current drive CD  
capacitors

Plasma  
stabilization


power  
supply  
2kV

Toroidal  
magnetic field B  
capacitors


fire  
protection  
system




# Tokamak room (North) 10/16




# Tokamak room (North) 10/16



# Tokamak room (South) 10/16



# Tokamak room (South) 10/16



# Table of Contents

- 1 Introduction
- 2 The Tokamak (GOLEM)
- 3 The Tokamak GOLEM (remote) operation**
- 4 Conclusion
- 5 Appendix



# Table of Contents

- 1 Introduction
- 2 The Tokamak (GOLEM)
- 3 The Tokamak GOLEM (remote) operation**
  - Control room
  - Data handling @ the Tokamak GOLEM
- 4 Conclusion
- 5 Appendix

# Control room: Introduction

GOLEM remote Introduction **Control room** Live Results

Prague Access: Level 1 Help

Introduction Working gas Preionization Magnetic field Current drive Submit

This web interface will walk you through the process of configuring a discharge in the GOLEM tokamak. All settable values are perfectly safe. Proceed through each step by setting the desired values and then clicking the [Next](#) button. You can always go to a specific step by clicking its tab.

**Preionization (electron gun)**

Vacuum stand

Preionization (electron gun)

Toroidal magnetic field

Current drive

GAS handling  $H_2/He$

23 mF  $C_p$

11.3 mF  $C_{co}$

2kV

2kV

3D model rendering method: **Static image (fast)** Interactive X3DOM (slower)

[Next](#)

# Control room: Working gas

GOLEM remote Introduction Control room Live Results

Introduction Working gas Preionization Magnetic field Electric field Submit

Set the pressure and type of the working gas from which the plasma is formed. Pressure must be high enough for plasma to form, but low enough for gas breakdown to occur.

### Preionization (electron gun)

Vacuum stand

Toroidal magnetic field

Toroidal electric field

GAS handling

$H_2/H_8$

Gas type and pressure  $p_{gas}$ : 38 mPa

Hydrogen Helium

Next Set recommended value

3D model rendering method Static image (best) Interactive X3DOM (preview)

# Control room: Preionization

GOLEM remote Introduction Control room Live Results

Introduction Working gas Preionization Magnetic field Electric field Submit

The neutral working gas must be first ionized in order to break down into a plasma. Using the electron gun will locally ionize the gas. Without any ionization, no plasma can form.

### Preionization (electron gun)

Vacuum stand

GAS handling

Toroidal magnetic field

Toroidal electric field

67.5 mF

13.5 mF

20V

20V

ionization method

Electron gun  No ionization

Next

3D model rendering method Static image (best) Interactive X3DOM (viewer)

# Control room: Magnetic field $B_t$

GOLEM version: Introduction Control room Live Results

Press F11 to exit full screen  
3D model rendering method: Static image (best) Interactive X3DOM (viewer)

Introduction Working gas Preionization **Magnetic field** Electric field Submit

Set the voltage on the capacitors to be discharged into the toroidal field coils. The higher the voltage, the larger the magnetic field confining the plasma.

Preionization (electron gun)

Vacuum stand


Toroidal magnetic field

Toroidal electric field

GAS handling

Capacitor voltage  $U_{C_2} = 600 \text{ V}$

Next Set recommended value



# Control room: Current drive $E_{cd}$

GOLEM remote Introduction Control room Live Results

the Torneo Politecnico, Italy Group 1 Access: Level 2 Help

Introduction Working gas Preionization Magnetic field **Electric field** Submit

Set the voltage on the capacitors to be discharged into the [primary transformer winding](#). The higher the voltage, the larger the electric field creating and heating the plasma. The electric field capacitors are discharged after a configurable delay with respect to the magnetic field capacitors.

Preionization (electron gun)

Vacuum stand

Toroidal magnetic field

Toroidal electric field

GAS handling

Time delay of electric field start after the magnetic field starts  $t_{cd}$ : 0 micro seconds

Capacitor voltage  $U_{cd}$ : 400 V

Next Set recommended value

3D model rendering method Static image (best) Interactive X3DOM (preview)

# Control room: ... and Submit

GOLEM remote Introduction Control room Live Results

the Torneo Politecnico, Italy Group 1 Access: Level 2 Help

Introduction Working gas Preionization Magnetic field Electric field **Submit**

Write a comment describing your discharge configuration, i.e. the scientific aim of your experiment. Or just leave a friendly message.


Comment

Click the Submit button to send your configuration into the queue. **Submit**

After submission you can watch the discharge Live or go back to the Introduction tab and start again. Or you can go to specific control tabs and reconfigure the discharge and then submit another discharge request.

[Watch the discharge Live!](#) [Go back to Introduction](#)

3D model rendering method: [Static image \(best\)](#) [Interactive X3DOM \(slower\)](#)



# Shot homepage

GOLEM » Shot #22471 »



## Diagnostics

- ✓ Interferometer
- ✓ Spectrometer
- ✗ FastCamera
- ✓ HXR

## Analysis

- ✓ ShotHomepage

## DAS

- ✓ TektronixDPO
- ✓ Nistandard
- ✓ Papouch\_St
- ✓ Papouch\_Ko
- ✓ Nloctopus

## Vacuum log

## Other

- Data
- References
- About
- Wiki
- Utilities

## Navigation

- Next
- Previous
- Current

# Tokamak GOLEM - Shot Database - 22471


**Date:** 2016-09-29 - 14:33:57  
**Session:** TrainingCourses/Universities/Uni\_Belgrade.rs/2016/  
**Comment:** Standard discharge

## Basic parameters: (compare)

- Gas pressure  $p_{ch}$ : 0.42 → 20.39 mPa (request: 20 mPa) [WIKI](#)
- Working gas: H
- Preionization: Upper el. gun
- Chamber temperature: 27.20 C
- $C_B$  capacitors charged to: 800 V, triggered 5.0 ms [WIKI](#)
- $C_{BD}$  capacitors charged to: 0 V, triggered 5.0 ms [WIKI](#)
- $C_{CD}$  capacitors charged to: 400 V, triggered 6.0 ms [WIKI](#)
- $C_{ST}$  capacitors charged to: 0 V, triggered 5.0 ms [WIKI](#)
- Probability of breakdown: 85% [WIKI](#)
- Time since session beginning: 0:07:50 h

## Plasma parameters:

- Plasma life time 14.8 [ms] (from 7.8 to 22.6)
- Mean toroidal magnetic field  $B_t$ : 0.23 T [WIKI](#)
- Mean plasma current: 3.60 kA [WIKI](#)
- Mean Uloop: 5.92 V [WIKI](#)
- Break down voltage: 9.6 V [WIKI](#)
- Ohmic heating power: 21.33 kW
- Q edge: 2.9 [WIKI](#)
- Electron temperature: 41.1 eV [WIKI](#)
- Line electron density: 5.52 [ $10^{17} m^{-2}$ ] [WIKI](#)





# Table of Contents

- 1 Introduction
- 2 The Tokamak (GOLEM)
- 3 The Tokamak GOLEM (remote) operation**
  - Control room
  - Data handling @ the Tokamak GOLEM
- 4 Conclusion
- 5 Appendix

# GOLEM basic Data Acquisition System (DAS)

- $U_I, U_{B_t}, U_{I_{p+ch}}, I_{rad}$
- $\Delta t = 1\mu s / f = 1MHz.$
- Integration time = 40 ms, thus DAS produces 6 columns x 40000 rows data file.
- Discharge is triggered at 5th milisecond after DAS to have a zero status identification.



Data file example, DAS  $\Delta t = 1\mu s / f = 1MHz$  (neutral gas into plasma breakdown focused)

$t$	$\approx U_I$	$\approx U_{\frac{dB_T}{dt}}$	$\approx U_{\frac{d(I_{p+ch})}{dt}}$	$\approx I_{rad}$
:	:	:	:	:
:	:	:	:	:
first	$\approx$	7405	lines ..	:
:	:	:	:	:
:	:	:	:	:
0.007383	1.53931	0.390015	0.048828	0.001831
0.007384	1.53686	0.395508	0.067749	0.00061
0.007385	1.54053	0.391235	0.079956	0.00061
0.007386	1.53686	0.38147	0.072632	0
0.007387	1.54297	0.397949	0.059204	0.00061
0.007388	1.54053	0.384521	0.05249	0.00061
0.007389	1.54053	0.39856	0.068359	0.001221
0.00739	1.54053	0.393677	0.082397	0.001221
0.007391	1.53809	0.38208	0.072632	0.001221
0.007392	1.54297	0.400391	0.056763	0.00061
0.007393	1.54419	0.383911	0.053101	0.00061
0.007394	1.53931	0.397339	0.068359	0.001221
0.007395	1.54297	0.391846	0.084229	0.00061
0.007396	1.54541	0.394897	0.074463	0.00061
0.007397	1.54297	0.388184	0.056763	0.001221
0.007398	1.54297	0.391846	0.056763	0.00061
0.007399	1.54297	0.394287	0.06897	0.00061
:	:	:	:	:
:	:	:	:	:
next	$\approx$	32500	lines ..	:
:	:	:	:	:
:	:	:	:	:

# Data access

All the recorded data and the settings for each discharge (shot) are available at the GOLEM website. The root directory for the files is:

```
http://golem.fjfi.cvut.cz/shots/<#ShotNo>/
```

The most recent discharge has the web page:

```
http://golem.fjfi.cvut.cz/shots/0
```

Particular data from DAS specified with <DASname> and <DASchannelidentifier> have the format:

```
http:  
//golem.fjfi.cvut.cz/<#ShotNo>/<DASname>/<DASchannelidentifier>
```

# Jupyter (python)

```
1 import numpy as np
2 import matplotlib.pyplot as plt
3
4 shot_no = 33993
5 identifier = "LoopVoltageCoil_raw.csv"
6 DAS='DASs/StandardDAS/'
7 # create data cache in the 'golem_cache' folder
8 ds = np.DataSource('golem_cache')
9 #Create a path to data and download and open the file
10 base_url = "http://golem.fjfi.cvut.cz/shots/"
11 data_file = ds.open(base_url + str(shot_no)+ '/' +DAS +identifier)
12 #Load data from the file and plot to screen and to disk
13 data = np.loadtxt(data_file,delimiter=",")
14 plt.plot(data[:,0], data[:,1]) #1. column vs 2. column
15 plt.xlabel('Time [ms]');plt.ylabel('$U_1$ [V]');
16 plt.savefig('graph.jpg')
17 plt.show()
18
19 #Run it: save it as script.py and run "python script.py" or execute in a
    ceel in a Jupyter Notebook
```

# Matlab

```
1 ShotNo=33993
2 baseURL='http://golem.fjfi.cvut.cz/shots/';
3 diagnPATH='/DASs/StandardDAS/LoopVoltageCoil_raw.csv';
4 %Create a path to data
5 dataURL=strcat(baseURL,int2str(ShotNo),diagnPATH);
6 % Write data from GOLEM server to a local file
7 urlwrite(dataURL,'LoopVoltage');
8 % Load data
9 data = load('LoopVoltage', '\t');
10 % Plot and save the graph
11 f = figure('visible', 'off');
12 hold on
13 plot(data(:,1)*1000, data(:,2), '.');
14 xlabel('Time [ms]')
15 ylabel('U_1 [V]')
16 hold off
17 print -djpeg plot.jpg
18 close(f)
19 exit;
```

# Octave

```
1 ShotNo=33993
2 baseURL='http://golem.fjfi.cvut.cz/shots/';
3 diagnPATH='/DASs/StandardDAS/LoopVoltageCoil_raw.csv';
4 %Create a path to data
5 dataURL=strcat(baseURL,int2str(ShotNo),diagnPATH);
6 % Write data from GOLEM server to a local file
7 urlwrite(dataURL,'LoopVoltageCoil_raw.csv');
8 % Load data
9 data = load('LoopVoltageCoil_raw.csv', '\t');
10 % Plot and save the graph
11 plot(data(:,1), data(:,2), '.');
12 xlabel('time [ms]')
13 ylabel('U_loop [V]')
14 saveas(gcf, 'plot', 'jpg');
15 exit;
```

# Gnuplot

```
1 identifier = 'LoopVoltageCoil_raw.csv' ;
2 ShotNo = '33993'
3 # Create a path to the data
4 DAS='DASs/StandardDAS/'
5 baseURL='http://golem.fjfi.cvut.cz/shots/'
6 DataURL= baseURL.ShotNo.'/'.DAS.identifier
7 set datafile separator ',';
8 set title "Uloop for #".ShotNo;
9 # Write data from GOLEM erver to a local file
10 ! wget -q @DataURL ;
11 # Plot the graph from a local file
12 set xrange [0:0.02];set xlabel 'Time [s]';set ylabel 'U_1 [V]'
13 plot identifier u 1:2 w l t 'Uloop'
```


# GNU Wget

GNU Wget is a free software package for retrieving files using HTTP, HTTPS and FTP, the most widely-used Internet protocols. It is a non-interactive commandline tool, so it may easily be called from scripts, cron jobs, terminals without X-Windows support, etc.

- Runs on most UNIX-like operating systems as well as Microsoft Windows.
- Homepage: <http://www.gnu.org/software/wget/>
- Basic usage:
  - To get  $U_l$ : `wget http://golem.fjfi.cvut.cz/utis/data/<#ShotNo>/loop_voltage`
  - To get whole shot: `wget -r -nH -cut-dirs=3 -no-parent -l2 -Pshot http://golem.fjfi.cvut.cz/shots/<#ShotNo>`



# Excel



File→Open→

`http://golem.fjfi.cvut.cz/utils/data/<#ShotNo>/<identifier>`

Spreadsheets (Excel and others)

are not recommended, only tolerated.


# Table of Contents

- 1 Introduction
- 2 The Tokamak (GOLEM)
- 3 The Tokamak GOLEM (remote) operation
- 4 Conclusion**
- 5 Appendix



# The global schematic overview of the GOLEM experiment

LEVEL 1

## Tokamak technology setup



## Basic plasma diagnostics




internet



**Virtual control room  
(remote participation)**

WWW control interface

HTML & PHP scripts



SSH control interface


WINDOWS via putty



LINUX via ssh  
or ssh+X tunnel  
(advanced mode)

Data presentation

HTML (www pages)



Data handling

- \*wget
- \*gnuplot
- \*idl
- \*mathematica
- \*matlab
- \*etc...

WWW server  
OpenSSH server



OpenSSH server

Control PC



- Everything via <http://golem.fjfi.cvut.cz/Budapest>
  - This presentation
  - Control rooms
  - Contact: Vojtech Svoboda,  
+420 737673903,  
[svoboda@fjfi.cvut.cz](mailto:svoboda@fjfi.cvut.cz)
  - Chat:  
[tokamak.golem@gmail.com](mailto:tokamak.golem@gmail.com) or  
skype: tokamak.golem





# Acknowledgement

## Financial support highly appreciated:


CTU RVO68407700, SGS 17/138/OHK4/2T/14, GAČR GA18-02482S, EU funds CZ.02.1.01/0.0/0.0/16\_019/0000778 and CZ.02.2.69/0.0/0.0/16\_027/0008465, IAEA F13019, FUSENET and EUROFUSION.

## Students, teachers, technicians (random order):

Vladimír Fuchs, Ondřej Grover, Jindřich Kocman, Tomáš Markovič, Michal Odstrčil, Tomáš Odstrčil, Gergo Pokol, Igor Jex, Gabriel Vondrášek, František Žáček, Lukáš Matěna, Jan Stockel, Jan Mlynář, Jaroslav Krbec, Radan Salomonovič, Vladimír Linhart, Kateřina Jiráková, Ondřej Ficker, Pravesh Dhyani, Juan Ignacio Monge-Colepicolo, Jaroslav Čerovský, Bořek Leitl, Martin Himmel. Petr Švihra, Petr Mácha, Vojtěch Fišer, Filip Papoušek, Sergei Kulkov, Martin Imříšek.

# Thank you for your attention

**Tokamak TM1**  
@Kurchatov Institute near Moscow  
~1960-1977




**SCIENCE**

**Tokamak CASTOR**  
@Institute of Plasma Physics, Prague  
1977-2007



**SCIENCE**  
& education

**Tokamak GOLEM**  
@Czech Technical University, Prague  
2007-



**EDUCATION**  
& science

... with the biggest  
control room  
in the world ..

**Tokamak Golem \*\*REMOTE\*\* for MASTER (Level 1)**  
The smallest & oldest operational tokamak with the biggest control rooms in the world

Home	Wiki	Control Room	Queue	Live	Results	GOLEM Diagram	Chamber status	IP cameras	3D model	Chat	Feedback	Logout
------	------	--------------	-------	------	---------	---------------	----------------	------------	----------	------	----------	--------

**LEVEL 1**

Preionization (electron gun)  
Proton

Toroidal magnetic field

Current drive

Vacuum stand

GAS handling

Working Gas

Discharge comment





Place the discharge setup into the queue

# Table of Contents

- 1 Introduction
- 2 The Tokamak (GOLEM)
- 3 The Tokamak GOLEM (remote) operation
- 4 Conclusion
- 5 Appendix**



# References I

-  Wikipedia contributors. Golem — Wikipedia, the free encyclopedia. <https://en.wikipedia.org/w/index.php?title=Golem>, 2020. [Online; accessed 29-March-2020].
-  V. Svoboda, B. Huang, J. Mlynar, G.I. Pokol, J. Stockel, and G Vondrasek. Multi-mode Remote Participation on the GOLEM Tokamak. *Fusion Engineering and Design*, 86(6-8):1310–1314, 2011.
-  Brotankova, J. *Study of high temperature plasma in tokamak-like experimental devices*. PhD thesis, 2009.
-  Tokamak GOLEM contributors. Tokamak GOLEM at the Czech Technical University in Prague. <http://golem.fjfi.cvut.cz>, 2007. [Online; accessed November 17, 2022].

## References II



J. Wesson. *Tokamaks*, volume 118 of *International Series of Monographs on Physics*. Oxford University Press Inc., New York, Third Edition, 2004.