



540A/8 kV 2" Light triggered Thyristor

For Static Var Compensation (SVC) and Medium Voltage Drives

The 8 kV 2" light triggered thyristor disc is well suited for medium voltage drives, power supplies as well as for static Var compensation systems. The ceramic disc offers an easy way of triggering by using optic fibers to avoid insulation problems between load and trigger unit. Higher reliability thanks of less electronic components on high potential by using the internal protection functions: Break over Diode (BoD) and critical rise rate of forward off-state voltage (dv/dt) protection. This is ensured by safe internal triggering of the thyristor, repetitive operation possible. This feature allows continuous operation even in case of system failure. To ensure a narrow spread of dynamic parameters high technology production processes are used for this type.

Main Features

- Ratings
 - V_{BO} = 7500V
 - V_{RRM} = 8000V
 - I_{TAVM} = 540A
- Housing Dimensions
 - Diameter = 76 mm
 - Height = 35 mm

Applications


- Static Var Compensation (SVC)
- Medium Voltage Drives



540A/8 kV 2" Light triggered Thyristor

For Static Var Compensation (SVC) and Medium Voltage Drives

Outline drawing



Electrical parameters

T533N80TOH	
■ V_{BO}	7500 V
■ V_{RRM}	8000 V
■ I_{TSM}	11,2 kA
■ $\int i^2 dt$	672 A ² s.10 ³
■ V_T/I_T	2,8V/1000A
■ I_{TAVM}	535 A
■ $V_{(TO)}$	1,31 V
■ r_T	1,50 mΩ
■ $(di/dt)_{cr}$	300 A/μs
■ t_q	800 μs
■ R_{thjc}	20 K/kW
■ T_{vjmax}	120 °C

Sales Information

Part Number	Status	Ordering Number
T533N80TOH	in production	SP000905366

Infinite Technologies – innovative semiconductor solutions for energy efficiency, mobility and security.

Published by
Infinite Technologies Bipolar GmbH & Co. KG
Max-Planck-Str. 5
59581 Warstein
Tel. +49 (0) 2902 98 99-0
Fax +49 (0) 2902 98 99-2482

© 2012 Infinite Technologies Bipolar GmbH & Co. KG.
All Rights Reserved.

Visit us:
www.ifbip.com · www.ifbip-shop.com

Order Number: B157-H9698-X-X-7600
Date: 04 / 2012

ATTENTION PLEASE!

The information given in this document shall in no event be regarded as a guarantee of conditions or characteristics ("Beschaffungsgarantie"). With respect to any examples or hints given herein, any typical values stated herein and/or any information regarding the application of the device, Infinite Technologies hereby disclaims any and all warranties and liabilities of any kind, including without limitation warranties of non-infringement of intellectual property rights of any third party.

INFORMATION

For further information on technology, delivery terms and conditions and prices please contact your nearest Infinite Technologies Office (www.infineon.com).

WARNINGS

Due to technical requirements components may contain dangerous substances. For information on the types in question please contact your nearest Infinite Technologies Office. Infinite Technologies Components may only be used in life-support devices or systems with the express written approval of Infinite Technologies, if a failure of such components can reasonably be expected to cause the failure of that life-support device or system, or to affect the safety or effectiveness of that device or system. Life support devices or systems are intended to be implanted in the human body, or to support and/or maintain and sustain and/or protect human life. If they fail, it is reasonable to assume that the health of the user or other persons may be endangered.