

Introduction to the tokamak operation (GOLEM specific) - Level 1

Vojtěch Svoboda
on behalf of the tokamak GOLEM team
for **Universität Ulm** training session


2022-06-29

Table of Contents

- 1 Introduction
- 2 The Tokamak (GOLEM)
- 3 The Tokamak GOLEM (remote) operation
- 4 Conclusion
- 5 Appendix

The GOLEM tokamak basic characteristics


The grandfather of all tokamaks (ITER newslines 06/18)



- Vessel major radius: $R_0 = 0.4$ m
- Vessel minor radius: $r_0 = 0.1$ m
- Maximum plasma current:
 $I_p^{\max} < 8$ kA
- Maximum toroidal magnetic field: $B_t^{\max} < 0.5$ T
- Typical electron density:
 $\langle n_e \rangle \in (0.2, 3) \cdot 10^{19} \text{ m}^{-3}$
- Maximum electron temperature:
 $T_e^{\max} < 80$ eV
- Maximum discharge duration:
 $\tau_p^{\max} < 25$ ms

Tokamak GOLEM @ Wikipedia ..

File Edit View Go Bookmarks Tools Settings Window Help
home Kalendarj Produkce Forecast Slovnik Rano
https://en.wikipedia.org/wiki/Tokamak
Not logged in Talk Contributions Create account Log in



WIKIPEDIA
The Free Encyclopedia

[Main page](#)
[Contents](#)
[Featured content](#)
[Current events](#)

Article [Talk](#)

Read [Edit](#) [View history](#)

Tokamak

From Wikipedia, the free encyclopedia

This article is about the fusion reaction device. For other uses, see [Tokamak \(disambiguation\)](#).

A **tokamak** (**Russian**: **токамак**) is a device that uses a powerful **magnetic field** to confine **plasma** in the shape of a **torus**. Achieving a **stable plasma equilibrium** requires **magnetic field lines** that move around the torus in a **helical** shape. Such a helical field can be generated by adding a **toroidal** field


it decays into a proton and electron with the emission of energy. When the time comes to actually try to make electricity from a tokamak-based reactor, some of the neutrons produced in the fusion process would be absorbed by a liquid metal blanket and their kinetic energy would be used in heat-transfer processes to ultimately turn a generator.

Experimental tokamaks [edit]


Currently in operation [edit]

(in chronological order of start of operations)

- 1960s: TМ1-MH (since 1977 Castor; since 2007 Golem^[12]) in **Prague, Czech Republic**. In operation in **Kurchatov Institute** since early 1960s but renamed to Castor in 1977 and moved to IPP CAS,^[13] Prague; in 2007 moved to FNSPE, **Czech Technical University in Prague** and renamed to Golem.^[14]
- 1975: **T-10**, in **Kurchatov Institute, Moscow, Russia** (formerly **Soviet Union**); 2 MW
- 1983: **Joint European Torus (JET)**, in **Culham, United Kingdom**
- 1985: **JT-60**, in **Naka, Ibaraki Prefecture, Japan**; (Currently undergoing upgrade to Super, Advanced model)
- 1987: **STOR-M**, **University of Saskatchewan; Canada**; first demonstration of alternating current in a tokamak.
- 1988: **Tore Supra**,^[15] at the **CEA, Cadarache, France**
- 1989: **Aditya**, at **Institute for Plasma Research (IPR) in Gujarat, India**
- 1980s: **DIII-D**,^[16] in **San Diego, USA**; operated by **General Atomics** since the late 1980s
- 1989: **COMPASS**,^[13] in **Prague, Czech Republic**; in operation since 2008, previously operated from 1989 to 1999 in **Culham, United Kingdom**
- 1990: **FTU**, in **Frascati, Italy**
- 1991: **Tokamak ISTTOK**,^[17] at the **Instituto de Plasmas e Fusão Nuclear, Lisbon, Portugal**;
- 1991: **ASDEX Upgrade**, in **Garching, Germany**




Alcator C-Mod



The GOLEM tokamak for education - historical background


Kurchatov Institute near Moscow,
Soviet Union
1960: **TM1-MH**



1974




Culham Centre for Fusion Energy
Great Britain
1989: **COMPASS-D**



2006



Institute of Plasma Physics
Czech republic
CASTOR **COMPASS**



2008



Czech Technical University Prague
Czech republic
GOLEM



GOLEM

... somewhere, in the ancient cellars of Prague,

there is hidden indeed "infernal" power. Yet it is the very power of celestial stars themselves. Calmly dormant, awaiting mankind to discover the magic key, to use this power for their benefit. . .




At the end of the 16th century, in the times when the Czech lands were ruled by Emperor Rudolf II, in Prague, there were Rabbi Judah Loew, well known alchemist, thinker, scholar, writer and inventor of the legendary GOLEM - a clay creature inspired with the Universe power that pursued his master's command after being brought to life with a shem, . Golem is not perceived as a symbol of evil, but rather as a symbol of power which might be useful but is very challenging to handle. To learn more of the Golem legend, see e.g. [1].



The global schematic overview of the GOLEM experiment

LEVEL 1

Tokamak technology setup



Basic plasma diagnostics



internet



Virtual control room
(remote participation)

WWW control interface

Data presentation

HTML & PHP scripts

HTML (www pages)



SSH control interface

WINDOWS via putty

Data handling



- *wget
- *gnuplot
- *idl
- *mathematica
- *matlab
- *etc...


LINUX via ssh
or ssh+X tunnel
(advanced mode)

WWW server
OpenSSH server

OpenSSH server

Control PC

The GOLEM tokamak mission



Production

- Everything via `http://golem.fjfi.cvut.cz/Ulm`
 - This presentation
 - Control rooms
 - Contact: Vojtech Svoboda,
+420 737673903,
svoboda@fjfi.cvut.cz
 - Chat:
tokamak.golem@gmail.com or
skype: tokamak.golem





Table of Contents

- 1 Introduction
- 2 The Tokamak (GOLEM)**
- 3 The Tokamak GOLEM (remote) operation
- 4 Conclusion
- 5 Appendix

Tokamak magnetic confinement concept



Tokamak (GOLEM) basic concept to confine and heat the plasma




Table of Contents

1 Introduction

2 The Tokamak (GOLEM)


- The GOLEM tokamak concept
- The scenario to make the (GOLEM) tokamak discharge
- The scenario to discharge virtually
- The GOLEM tokamak basic diagnostics
- The GOLEM tokamak - guide tour

3 The Tokamak GOLEM (remote) operation


4 Conclusion

5 Appendix


Our goal: the technology to create a μ Sun on the Earth




Magnetic confinement requires toroidal geometry




A chamber contains the thermonuclear reaction



Toroidal magnetic field coils confine the plasma



A transformer action creates and heats the plasma



The final technology altogether




Table of Contents

1 Introduction

2 The Tokamak (GOLEM)


- The GOLEM tokamak concept
- The scenario to make the (GOLEM) tokamak discharge
- The scenario to discharge virtually
- The GOLEM tokamak basic diagnostics
- The GOLEM tokamak - guide tour

3 The Tokamak GOLEM (remote) operation

4 Conclusion

5 Appendix


Plasma in Tokamak (GOLEM) - the least to do



To do:

- session start phase:
 - Evacuate the chamber
- pre-discharge phase
 - Charge the capacitors
 - Fill in the working gas
 - Preionization
- discharge phase
 - Toroidal magnetic field to confine plasma
 - Toroidal electric field to breakdown neutral gas into plasma
 - Toroidal electric field to heat the plasma
 - Plasma positioning
 - Diagnostics
- post-discharge phase


Plasma in Tokamak (GOLEM) - the least to do



To do:

- session start phase:
 - **Evacuate the chamber**
- pre-discharge phase
 - Charge the capacitors
 - Fill in the working gas
 - Preionization
- discharge phase
 - Toroidal magnetic field to confine plasma
 - Toroidal electric field to breakdown neutral gas into plasma
 - Toroidal electric field to heat the plasma
 - Plasma positioning
 - Diagnostics
- post-discharge phase


Plasma in Tokamak (GOLEM) - the least to do



To do:

- session start phase:
 - Evacuate the chamber
- pre-discharge phase
 - **Charge the capacitors**
 - Fill in the working gas
 - Preionization
- discharge phase
 - Toroidal magnetic field to confine plasma
 - Toroidal electric field to breakdown neutral gas into plasma
 - Toroidal electric field to heat the plasma
 - Plasma positioning
 - Diagnostics
- post-discharge phase


Plasma in Tokamak (GOLEM) - the least to do



To do:

- session start phase:
 - Evacuate the chamber
- pre-discharge phase
 - Charge the capacitors
 - **Fill in the working gas**
 - Preionization
- discharge phase
 - Toroidal magnetic field to confine plasma
 - Toroidal electric field to breakdown neutral gas into plasma
 - Toroidal electric field to heat the plasma
 - Plasma positioning
 - Diagnostics
- post-discharge phase


Plasma in Tokamak (GOLEM) - the least to do



To do:

- session start phase:
 - Evacuate the chamber
- pre-discharge phase
 - Charge the capacitors
 - Fill in the working gas
 - **Preionization**
- discharge phase
 - Toroidal magnetic field to confine plasma
 - Toroidal electric field to breakdown neutral gas into plasma
 - Toroidal electric field to heat the plasma
 - Plasma positioning
 - Diagnostics
- post-discharge phase


Plasma in Tokamak (GOLEM) - the least to do



To do:

- session start phase:
 - Evacuate the chamber
- pre-discharge phase
 - Charge the capacitors
 - Fill in the working gas
 - Preionization
- discharge phase
 - **Toroidal magnetic field to confine plasma**
 - Toroidal electric field to breakdown neutral gas into plasma
 - Toroidal electric field to heat the plasma
 - Plasma positioning
 - Diagnostics
- post-discharge phase

Plasma in Tokamak (GOLEM) - the least to do



To do:

- session start phase:
 - Evacuate the chamber
- pre-discharge phase
 - Charge the capacitors
 - Fill in the working gas
 - Preionization
- discharge phase
 - Toroidal magnetic field to confine plasma
 - **Toroidal electric field to breakdown neutral gas into plasma**
 - **Toroidal electric field to heat the plasma**
 - Plasma positioning
 - Diagnostics
- post-discharge phase

Tokamak GOLEM - schematic experimental setup




Table of Contents

1 Introduction

2 The Tokamak (GOLEM)


- The GOLEM tokamak concept
- The scenario to make the (GOLEM) tokamak discharge
- The scenario to discharge virtually
- The GOLEM tokamak basic diagnostics
- The GOLEM tokamak - guide tour

3 The Tokamak GOLEM (remote) operation


4 Conclusion

5 Appendix


Introduce the working gas (Hydrogen x Helium)




Switch on the preionization



Introduce the magnetic field



Introduce the electric field



Plasma ..




Table of Contents

1 Introduction

2 The Tokamak (GOLEM)


- The GOLEM tokamak concept
- The scenario to make the (GOLEM) tokamak discharge
- The scenario to discharge virtually
- The GOLEM tokamak basic diagnostics
- The GOLEM tokamak - guide tour

3 The Tokamak GOLEM (remote) operation


4 Conclusion

5 Appendix




The GOLEM tokamak - basic diagnostics





Schematic of electromagnetic diagnostics






Loop voltage U_l @ the GOLEM tokamak




Toroidal magnetic field B_t @ the tokamak GOLEM




Total current I_{ch+p}



Electron density n_e interferometry measurement scheme



The GOLEM tokamak interferometry HW



"Typical", well executed discharge @ GOLEM




Table of Contents

1 Introduction

2 The Tokamak (GOLEM)

- The GOLEM tokamak concept
- The scenario to make the (GOLEM) tokamak discharge
- The scenario to discharge virtually
- The GOLEM tokamak basic diagnostics
- The GOLEM tokamak - guide tour

3 The Tokamak GOLEM (remote) operation

4 Conclusion

5 Appendix

Infrastructure room (below tokamak) 10/16



Infrastructure room (below tokamak) 10/16

Current drive CD field
and toroidal magnetic Bt field
circuits

To the tokamak
GOLEM

Rotary
pump

Vacuum
control

Current drive CD
capacitors

Plasma
stabilization


power
supply
2kV

Toroidal
magnetic field B
capacitors


fire
protection
system




Tokamak room (North) 10/16



Tokamak room (North) 10/16



Tokamak room (South) 10/16



Tokamak room (South) 10/16




Table of Contents

- 1 Introduction
- 2 The Tokamak (GOLEM)
- 3 The Tokamak GOLEM (remote) operation**
- 4 Conclusion
- 5 Appendix

Table of Contents

- 1 Introduction
- 2 The Tokamak (GOLEM)
- 3 The Tokamak GOLEM (remote) operation**
 - Control room
 - Data handling @ the Tokamak GOLEM
- 4 Conclusion
- 5 Appendix

Control room: Introduction

GOLEM remote Introduction **Control room** Live Results

Prague Access: Level 1 Help

Introduction Working gas Preionization Magnetic field Current drive Submit

This web interface will walk you through the process of configuring a discharge in the GOLEM tokamak. All settable values are perfectly safe. Proceed through each step by setting the desired values and then clicking the [Next](#) button. You can always go to a specific step by clicking its tab.

Preionization (electron gun)

Vacuum stand

Toroidal magnetic field

Current drive

GAS handling H_2/He

23 mF C_p

11.3 mF C_p

2kV

2kV

3D model rendering method: **Static image (fast)** Interactive X3DOM (slower)

[Next](#)

Control room: Working gas

GOLEM remote Introduction Control room Live Results

Introduction Working gas Preionization Magnetic field Electric field Submit

Set the pressure and type of the working gas from which the plasma is formed. Pressure must be high enough for plasma to form, but low enough for gas breakdown to occur.

Preionization (electron gun)

Vacuum stand

GAS handling H_2/H_9

Toroidal magnetic field

Toroidal electric field

67.5 mF 20V

13.5 mF 20V

Gas type and pressure p_{gas} : 38 mPa

Hydrogen Helium

Next Set recommended value

3D model rendering method Static image (best) Interactive X3DOM (preview)

Control room: Preionization

GOLEM remote Introduction Control room Live Results

Introduction Working gas Preionization Magnetic field Electric field Submit

The neutral working gas must be first ionized in order to break down into a plasma. Using the electron gun will locally ionize the gas. Without any ionization, no plasma can form.

Preionization (electron gun)

Vacuum stand

GAS handling

Toroidal magnetic field

Toroidal electric field

67.5 mT

13.5 mV

200V

200V

ionization method

Electron gun No ionization

Next

3D model rendering method Static image (best) Interactive X3DOM (viewer)

https://golem.fk.cvut.cz/remote/control_room/?access_token=82d74f733d4770040ce77821158602c2&identifier=Master#control-sub-preion

Control room: Magnetic field B_t

GOLEM website Introduction Control room Live Results

Press F11 to exit full screen 3D model rendering method Static image (best) Interactive X3DOM (viewer)

Introduction Working gas Preionization **Magnetic field** Electric field Submit

Set the voltage on the capacitors to be discharged into the toroidal field coils. The higher the voltage, the larger the magnetic field confining the plasma.

Preionization (electron gun)

Vacuum stand


Toroidal magnetic field

Toroidal electric field

GAS handling

Capacitor voltage $U_{C_1} = 600$ V

Next Set recommended value



Control room: Current drive E_{cd}

GOLEM remote Introduction Control room Live Results

the Torneo Politecnico, Italy Group 1 Access: Level 2 Help

Introduction Working gas Preionization Magnetic field **Electric field** Submit

Set the voltage on the capacitors to be discharged into the [primary transformer winding](#). The higher the voltage, the larger the electric field creating and heating the plasma. The electric field capacitors are discharged after a configurable delay with respect to the magnetic field capacitors.

Preionization (electron gun)

Vacuum stand

Toroidal magnetic field

Toroidal electric field

GAS handling

Time delay of electric field start after the magnetic field starts t_{cd} : 0 micro seconds

Capacitor voltage U_{cd} : 400 V

Next Set recommended value

3D model rendering method Static image (best) Interactive X3DOM (preview)

Control room: ... and Submit

GOLEM remote Introduction Control room Live Results

the Torneo Politecnico, Italy Group 1 Access: Level 2 Help

Introduction Working gas Preionization Magnetic field Electric field **Submit**

Write a comment describing your discharge configuration, i.e. the scientific aim of your experiment. Or just leave a friendly message.


Comment

Click the Submit button to send your configuration into the queue. **Submit**

After submission you can watch the discharge Live or go back to the Introduction tab and start again. Or you can go to specific control tabs and reconfigure the discharge and then submit another discharge request.

[Watch the discharge Live!](#) [Go back to Introduction](#)

3D model rendering method: [Static image \(best\)](#) [Interactive X3DOM \(slower\)](#)





Diagnostics

- ✓ Interferometer
- ✓ Spectrometer
- ✗ FastCamera
- ✓ HXR

Analysis

- ✓ ShotHomepage

DAS

- ✓ TektronixDPO
- ✓ Nistandard
- ✓ Papouch_St
- ✓ Papouch_Ko
- ✓ Nloctopus

Vacuum log

Other

- Data
- References
- About
- Wiki
- Utilities

Navigation

- Next
- Previous
- Current

Tokamak GOLEM - Shot Database - 22471

Date: 2016-09-29 - 14:33:57
Session: TrainingCourses/Universities/Uni_Belgrade.rs/2016/
Comment: Standard discharge

Basic parameters: (compare)

- Gas pressure p_{ch} : 0.42 → 20.39 mPa (request: 20 mPa) [WIKI](#)
- Working gas: H
- Preionization: Upper el. gun
- Chamber temperature: 27.20 C
- C_B capacitors charged to: 800 V, triggered 5.0 ms [WIKI](#)
- C_{BD} capacitors charged to: 0 V, triggered 5.0 ms [WIKI](#)
- C_{CD} capacitors charged to: 400 V, triggered 6.0 ms [WIKI](#)
- C_{ST} capacitors charged to: 0 V, triggered 5.0 ms [WIKI](#)
- Probability of breakdown: 85% [WIKI](#)
- Time since session beginning: 0:07:50 h

Plasma parameters:

- Plasma life time 14.8 [ms] (from 7.8 to 22.6)
- Mean toroidal magnetic field B_t : 0.23 T [WIKI](#)
- Mean plasma current: 3.60 kA [WIKI](#)
- Mean Uloop: 5.92 V [WIKI](#)
- Break down voltage: 9.6 V [WIKI](#)
- Ohmic heating power: 21.33 kW
- Q edge: 2.9 [WIKI](#)
- Electron temperature: 41.1 eV [WIKI](#)
- Line electron density: 5.52 [$10^{17} m^{-2}$] [WIKI](#)




Table of Contents

- 1 Introduction
- 2 The Tokamak (GOLEM)
- 3 The Tokamak GOLEM (remote) operation**
 - Control room
 - Data handling @ the Tokamak GOLEM
- 4 Conclusion
- 5 Appendix

GOLEM basic Data Acquisition System (DAS)

- $U_I, U_{B_t}, U_{I_{p+ch}}, I_{rad}$
- $\Delta t = 1\mu s / f = 1MHz$.
- Integration time = 40 ms, thus DAS produces 6 columns x 40000 rows data file.
- Discharge is triggered at 5th millisecond after DAS to have a zero status identification.



Data file example, DAS $\Delta t = 1\mu s / f = 1MHz$ (neutral gas into plasma breakdown focused)

t	$\approx U_I$	$\approx U_{\frac{dB_T}{dt}}$	$\approx U_{\frac{d(I_{p+ch})}{dt}}$	$\approx I_{rad}$
:	:	:	:	:
:	:	:	:	:
first	\approx	7405	lines ..	:
:	:	:	:	:
:	:	:	:	:
0.007383	1.53931	0.390015	0.048828	0.001831
0.007384	1.53686	0.395508	0.067749	0.00061
0.007385	1.54053	0.391235	0.079956	0.00061
0.007386	1.53686	0.38147	0.072632	0
0.007387	1.54297	0.397949	0.059204	0.00061
0.007388	1.54053	0.384521	0.05249	0.00061
0.007389	1.54053	0.39856	0.068359	0.001221
0.00739	1.54053	0.393677	0.082397	0.001221
0.007391	1.53809	0.38208	0.072632	0.001221
0.007392	1.54297	0.400391	0.056763	0.00061
0.007393	1.54419	0.383911	0.053101	0.00061
0.007394	1.53931	0.397339	0.068359	0.001221
0.007395	1.54297	0.391846	0.084229	0.00061
0.007396	1.54541	0.394897	0.074463	0.00061
0.007397	1.54297	0.388184	0.056763	0.001221
0.007398	1.54297	0.391846	0.056763	0.00061
0.007399	1.54297	0.394287	0.06897	0.00061
:	:	:	:	:
:	:	:	:	:
next	\approx	32500	lines ..	:
:	:	:	:	:
:	:	:	:	:

Data access

All the recorded data and the settings for each discharge (shot) are available at the GOLEM website. The root directory for the files is:

```
http://golem.fjfi.cvut.cz/shots/<#ShotNo>/
```

The most recent discharge has the web page:

```
http://golem.fjfi.cvut.cz/shots/0
```

Particular data from DAS specified with <DASname> and <DASchannelidentifier> have the format:

```
http:  
//golem.fjfi.cvut.cz/<#ShotNo>/<DASname>/<DASchannelidentifier>
```

Jupyter (python)

```
1 import numpy as np
2 import matplotlib.pyplot as plt
3
4 shot_no = 33993
5 identifier = "LoopVoltageCoil_raw.csv"
6 DAS='DASs/StandardDAS/'
7 # create data cache in the 'golem_cache' folder
8 ds = np.DataSource('golem_cache')
9 #Create a path to data and download and open the file
10 base_url = "http://golem.fjfi.cvut.cz/shots/"
11 data_file = ds.open(base_url + str(shot_no)+ '/' +DAS +identifier)
12 #Load data from the file and plot to screen and to disk
13 data = np.loadtxt(data_file,delimiter=",")
14 plt.plot(data[:,0], data[:,1]) #1. column vs 2. column
15 plt.xlabel('Time [ms]');plt.ylabel('$U_1$ [V]');
16 plt.savefig('graph.jpg')
17 plt.show()
18
19 #Run it: save it as script.py and run "python script.py" or execute in a
    ceel in a Jupyter Notebook
```

Matlab

```
1 ShotNo=33993
2 baseURL='http://golem.fjfi.cvut.cz/shots/';
3 diagnPATH='/DASs/StandardDAS/LoopVoltageCoil_raw.csv';
4 %Create a path to data
5 dataURL=strcat(baseURL,int2str(ShotNo),diagnPATH);
6 % Write data from GOLEM server to a local file
7 urlwrite(dataURL,'LoopVoltage');
8 % Load data
9 data = load('LoopVoltage', '\t');
10 % Plot and save the graph
11 f = figure('visible', 'off');
12 hold on
13 plot(data(:,1)*1000, data(:,2), '.');
14 xlabel('Time [ms]')
15 ylabel('U_1 [V]')
16 hold off
17 print -djpeg plot.jpg
18 close(f)
19 exit;
```

Octave

```
1 ShotNo=33993
2 baseURL='http://golem.fjfi.cvut.cz/shots/';
3 diagnPATH='/DASs/StandardDAS/LoopVoltageCoil_raw.csv';
4 %Create a path to data
5 dataURL=strcat(baseURL,int2str(ShotNo),diagnPATH);
6 % Write data from GOLEM server to a local file
7 urlwrite(dataURL,'LoopVoltageCoil_raw.csv');
8 % Load data
9 data = load('LoopVoltageCoil_raw.csv', '\t');
10 % Plot and save the graph
11 plot(data(:,1), data(:,2), '.');
12 xlabel('time [ms]')
13 ylabel('U_loop [V]')
14 saveas(gcf, 'plot', 'jpg');
15 exit;
```

Gnuplot


```
1 identifier = 'LoopVoltageCoil_raw.csv' ;
2 ShotNo = '33993'
3 # Create a path to the data
4 DAS='DASs/StandardDAS/'
5 baseURL='http://golem.fjfi.cvut.cz/shots/'
6 DataURL= baseURL.ShotNo.'/'.DAS.identifier
7 set datafile separator ',';
8 set title "Uloop for #".ShotNo;
9 # Write data from GOLEM erver to a local file
10 ! wget -q @DataURL ;
11 # Plot the graph from a local file
12 set xrange [0:0.02];set xlabel 'Time [s]';set ylabel 'U_1 [V]'
13 plot identifier u 1:2 w l t 'Uloop'
```

GNU Wget

GNU Wget is a free software package for retrieving files using HTTP, HTTPS and FTP, the most widely-used Internet protocols. It is a non-interactive commandline tool, so it may easily be called from scripts, cron jobs, terminals without X-Windows support, etc.

- Runs on most UNIX-like operating systems as well as Microsoft Windows.
- Homepage: <http://www.gnu.org/software/wget/>
- Basic usage:
 - To get U_l : `wget http://golem.fjfi.cvut.cz/utills/data/<#ShotNo>/loop_voltage`
 - To get whole shot: `wget -r -nH -cut-dirs=3 -no-parent -l2 -Pshot http://golem.fjfi.cvut.cz/shots/<#ShotNo>`

Excel



File→Open→

`http://golem.fjfi.cvut.cz/utils/data/<#ShotNo>/<identifier>`

Spreadsheets (Excel and others)

are not recommended, only tolerated.


Table of Contents

- 1 Introduction
- 2 The Tokamak (GOLEM)
- 3 The Tokamak GOLEM (remote) operation
- 4 Conclusion**
- 5 Appendix



The global schematic overview of the GOLEM experiment

LEVEL 1

Tokamak technology setup



Basic plasma diagnostics




internet



**Virtual control room
(remote participation)**

WWW control interface

HTML & PHP scripts



SSH control interface


WINDOWS via putty



LINUX via ssh
or ssh+X tunnel
(advanced mode)

Data presentation

HTML (www pages)




Data handling


- *wget
- *gnuplot
- *idl
- *mathematica
- *matlab
- *etc...

Production

- Everything via `http://golem.fjfi.cvut.cz/Ulm`
 - This presentation
 - Control rooms
 - Contact: Vojtech Svoboda,
+420 737673903,
svoboda@fjfi.cvut.cz
 - Chat:
tokamak.golem@gmail.com or
skype: tokamak.golem



Recommended values for the GOLEM tokamak operation



- Preionization: Top electron gun
- Gas: Hydrogen. A Working gas pressure: p_{WG} [mPa] $< 0, 40 >$ mPa
- A voltage to charge the Current drive field E_t capacitor: U_{E_t} [V] $< 400, 700 >$ V
- A voltage to charge the Toroidal magnetic field B_t capacitor: U_{B_t} [V] $< 600, 1200 >$ V
- Time delay of the E_t trigger with respect to the B_t trigger: T_{CD} [μs] $< 0, 10000 >$ μs

Fee: postcard from the venue of remote measurements



Acknowledgement

Financial support highly appreciated:


CTU RVO68407700, SGS 17/138/OHK4/2T/14, GAČR GA18-02482S, EU funds CZ.02.1.01/0.0/0.0/16_019/0000778 and CZ.02.2.69/0.0/0.0/16_027/0008465, IAEA F13019, FUSENET and EUROFUSION.

Students, teachers, technicians (random order):

Vladimír Fuchs, Ondřej Grover, Jindřich Kocman, Tomáš Markovič, Michal Odstrčil, Tomáš Odstrčil, Gergo Pokol, Igor Jex, Gabriel Vondrášek, František Žáček, Lukáš Matěna, Jan Stockel, Jan Mlynář, Jaroslav Krbec, Radan Salomonovič, Vladimír Linhart, Kateřina Jiráková, Ondřej Ficker, Pravesh Dhyani, Juan Ignacio Monge-Colepicolo, Jaroslav Čerovský, Bořek Leitl, Martin Himmel. Petr Švihra, Petr Mácha, Vojtěch Fišer, Filip Papoušek, Sergei Kulkov, Martin Imříšek.

Thank you for your attention

Tokamak TM1
@Kurchatov Institute near Moscow
~1960-1977




SCIENCE

Tokamak CASTOR
@Institute of Plasma Physics, Prague
1977-2007



SCIENCE
& education

Tokamak GOLEM
@Czech Technical University, Prague
2007-



EDUCATION
& science

... with the biggest
control room
in the world ..

Tokamak Golem **REMOTE for MASTER (Level 1)**
The smallest & oldest operational tokamak with the biggest control rooms in the world

Home	Wiki	Control Room	Queue	Live	Results	GOLEM Diagram	Chamber status	IP cameras	3D model	Chat	Feedback	Logout
------	------	--------------	-------	------	---------	---------------	----------------	------------	----------	------	----------	--------

LEVEL 1

Preionization (electron gun)
Proton

Toroidal magnetic field

Current drive

Vacuum stand

GAS handling

Working Gas





Discharge comment

Place the discharge setup into the queue

Table of Contents

- 1 Introduction
- 2 The Tokamak (GOLEM)
- 3 The Tokamak GOLEM (remote) operation
- 4 Conclusion
- 5 Appendix**

References I

-  Wikipedia contributors. Golem — Wikipedia, the free encyclopedia. <https://en.wikipedia.org/w/index.php?title=Golem>, 2020. [Online; accessed 29-March-2020].
-  J. Wesson. *Tokamaks*, volume 118 of *International Series of Monographs on Physics*. Oxford University Press Inc., New York, Third Edition, 2004.
-  V. Svoboda, B. Huang, J. Mlynar, G.I. Pokol, J. Stockel, and G Vondrasek. Multi-mode Remote Participation on the GOLEM Tokamak. *Fusion Engineering and Design*, 86(6-8):1310–1314, 2011.
-  Brotankova, J. *Study of high temperature plasma in tokamak-like experimental devices*. PhD thesis, 2009.



Tokamak GOLEM contributors. Tokamak GOLEM at the Czech Technical University in Prague. <http://golem.fjfi.cvut.cz>, 2007. [Online; accessed June 29, 2022].